

OELBINDNATUR

HANSA-FLEX AG
28307 Bremen

Date printed 05.03.2025, Revision 05.03.2025

Version 5.0

Page 1 / 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

OELBINDNATUR

IUPAC	Organic sediment
EINECS/ELINCS	601-648-2
CAS	12001-26-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Oil binding agent

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company	HANSA-FLEX AG Zum Panrepel 44 28307 Bremen / GERMANY Phone +49 (0) 421 48907 0 Fax +49 (0) 421 48907 48 Homepage www.hansa-flex.de E-mail info@hansa-flex.com
----------------	---

Address enquiries to

Technical information	info@hansa-flex.com
------------------------------	--

Safety Data Sheet	sdb@chemiebuero.de (No dispatch of safety data sheets) Safety data sheets are available from the supplier.
--------------------------	---

1.4 Emergency telephone number

Company	+49 (0) 421 48907 0
----------------	---------------------

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product does not require a hazard warning label in accordance with regulation CLP.

Hazard pictograms	none
--------------------------	------

Signal word	none
--------------------	------

Hazard statements	none
--------------------------	------

Precautionary statements	none
---------------------------------	------

2.3 Other hazards

Physico-chemical hazards	In the supplied form the product is not explosive at all ; however the build-up of fine dust can lead to a risk of dust explosions.
---------------------------------	---

Human health dangers	Contains no ingredients with endocrine-disrupting properties.
-----------------------------	---

Environmental hazards	Does not contain any PBT or vPvB substances.
------------------------------	--

Other hazards	Further hazards were not determined with the current level of knowledge.
----------------------	--

OELBINDNATUR

HANSA-FLEX AG
28307 Bremen

Date printed 05.03.2025, Revision 05.03.2025

Version 5.0

Page 2 / 8

SECTION 3: Composition / Information on ingredients

3.1 Substances

The product is a substance.

Range [%]	Substance
100	Organic sediment
	CAS: 12001-26-2, EINECS/ELINCS: 601-648-2

Comment on component parts The substance is exempted from the registration requirement according to 1907/2006/EC (REACH), Article 2 (7b), Annex V (7).

3.2 Mixtures

not applicable

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Change powdered clothing.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	In case of contact with skin wash off with warm water.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Rinse out mouth and give plenty of water to drink. In the event of symptoms seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	Foam, dry powder, water spray jet, carbon dioxide
Extinguishing media that must not be used	Full water jet

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation.
Keep away from all sources of ignition.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically. Avoid production of dust.
Dispose of absorbed material in accordance with the regulations.

OELBINDNATUR

HANSA-FLEX AG
28307 Bremen

Date printed 05.03.2025, Revision 05.03.2025

Version 5.0

Page 3 / 8

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures necessary if used correctly.
Dust can form an explosive mixture with air.
The product is combustible.
Wash hands before breaks and after work.
Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Do not store together with food and animal food/diet.
Store in a dry place.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

8.2 Exposure controls

Additional advice on system design Ensure adequate ventilation on workstation.
Pay attention to dust limit value (ACGIH-2011: 10 mg/m³ particle inhalable; 1,25 mg/m³ particle respirable).

Eye protection safety glasses (EN 166:2001)

Hand protection In full contact:
0,4 mm; Butyl rubber, >60 min (EN 374-1/-2/-3).
The details concerned are recommendations. Please contact the glove supplier for further information.

Skin protection light protective clothing

Other Avoid contact with eyes.

Respiratory protection Respiratory protection in the case of dust formation.
Use Safety mask. (DIN EN 149)

Thermal hazards none

Delimitation and monitoring of the environmental exposition See SECTION 6+7.

OELBINDNATUR

HANSA-FLEX AG

28307 Bremen

Date printed 05.03.2025, Revision 05.03.2025

Version 5.0

Page 4 / 8

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Form	powder
Color	light brown
Odor	characteristic
Odour threshold	not determined
pH-value	not applicable
pH-value [1%]	not determined
Boiling point or initial boiling point and boiling range [°C]	not determined
Flash point [°C]	not determined
Flammability	not determined
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	not applicable
Vapour pressure/gas pressure [kPa]	not determined
Density [g/cm ³]	< 1
Relative density	not determined
Bulk density [kg/m ³]	not determined
Solubility in water	not determined
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	not determined
Kinematic viscosity	not applicable
Relative vapour density	not applicable
Melting point [°C]	not determined
Auto-ignition temperature [°C]	265-289
Decomposition temperature [°C]	not determined
Particle characteristics	not determined

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Stable up to decomposition temperature.

Accumulation of fine dust may entail the risk of a dust explosion in the presence of air.

10.4 Conditions to avoid

See SECTION 7

10.5 Incompatible materials

not relevant

10.6 Hazardous decomposition products

No hazardous decomposition products known.

OELBINDNATUR

HANSA-FLEX AG

28307 Bremen

Date printed 05.03.2025, Revision 05.03.2025

Version 5.0

Page 5 / 8

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Acute dermal toxicity

Acute inhalational toxicity

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Respiratory or skin sensitisation

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

Carcinogenicity

Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard

General remarks

none

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

11.2.2 Other information

none

SECTION 12: Ecological information

12.1 Toxicity

12.2 Persistence and degradability

Behaviour in environment compartments

No information available.

Behaviour in sewage plant

No information available.

Biological degradability

The product is biodegradable.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Do not discharge product unmonitored into the environment.

OELBINDNATUR

HANSA-FLEX AG

28307 Bremen

Date printed 05.03.2025, Revision 05.03.2025

Version 5.0

Page 6 / 8

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

For recycling, consult manufacturer.

Waste no. (recommended)

020199

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Waste no. (recommended)

150102
150101

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

OELBINDNATUR

HANSA-FLEX AG

28307 Bremen

Date printed 05.03.2025, Revision 05.03.2025

Version 5.0

Page 7 / 8

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- **Comment on component parts** Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- **Annex XIV (REACH)** According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances \geq 0.1% that are subject to authorisation.

- **Annex XVII (REACH)** According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances \geq 0.1% that are restricted.

TRANSPORT-REGULATIONS ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025)

NATIONAL REGULATIONS (EU):

- **Observe employment restrictions for people** no

- **VOC (2010/75/CE)** not applicable

15.2 Chemical safety assessment

OELBINDNATUR

HANSA-FLEX AG

28307 Bremen

Date printed 05.03.2025, Revision 05.03.2025

Version 5.0

Page 8 / 8

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV@/TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.2 Other information

This document does not comply with Regulation (EC) No 1907/2006, article 31 (5) and may be used for internal purposes only.

Classification procedure

Modified position none

Copyright: Chemiebüro®